EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(("6882645") or ("4941089")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/22 11:19
S2	881	(port adj independent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:20
S3	0	data with (command or instruction) with (de-coupl$3 or (loos$3 near2 coupl$3)) with (source or destination) with (ID or identif$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:23
S4	73	data with (command or instruction) with (de-coupl$3 or (loos$3 near2 coupl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:22
S5	1	S4 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:22
S6	2	data same (command or instruction) same (de-coupl$3 or (loos$3 near2 coupl$3)) same (source or destination) same (ID or identif$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:24
S7	340	data same (command or instruction) same (de-coupl$3 or (loos$3 near2 coupl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:24
S8	1	S7 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:24

S9	10	S7 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:26
S10	2351	(multi or plural$3) near2 port near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:46
S11	7	S2 with S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:29
S12	15	S2 with (id or identif$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:30
S13	29228	"711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:30
S14	47	S2 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:31
S15	41	S14 and @ad<="20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:33
S16	343	711/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:34

EAST Search History

S17	1	S16 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:34
S18	9	S16 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:40
S19	0	((port adj independent) with (device near2 identif$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:41
S20	45	((port adj independent) and (device near2 identif$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:42
S21	1	S20 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:42
S22	74174	((port adj independent) or (device adj (identif$5 or id)) or (source near2 (identif$5 or id)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:46
S23	71	S22 with pipeline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:44
S24	6	S23 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:45

S25	2127	S22 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:45
S26	3870	((port adj independent) or (device adj (identif$5 or id)) or (source near2 (identif$5 or id))) and "711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:46
S27	4358	((multi or plural$3) adj2 port) near2 (memory or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:47
S28	47	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:47
S29	82	(data adj2 in) with (data adj2 out) with (command or instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:48
S30	0	S29 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:48
S31	13	S29 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:50
S32	107	(source adj device) and memory and controller and multi$2port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:50

S33	0	S32 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:51
S34	3	S32 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:51
S35	15	S32 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:52
S36	103	(data adj2 in) near2 storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:54
S37	0	S36 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:53
S38	26	S36 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 11:54
S39	13	(data-in) near2 storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:13
S40	2468	command channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:14

S41	7	S40 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:19
S42	9	S40 with bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:20
S43	41	S40 and S13 and bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:21
S44	33	S43 and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:35
S45	1	((multi$2 adj2 port) near2 (controller or interface)) with (buffer or storage or cache) with (bypass$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:38
S46	0	((multi$2 adj2 port) near2 (controller or interface)) same (buffer or storage or queue) same (bypass$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:38
S47	79	((multi$2 adj2 port) near2 (controller or interface)) same (buffer or storage or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:38
S48	38	S47 and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:39

S49	11	S48 and bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/22 12:39